# WorkForce Pro WF-C5890DWF



## DATASHEET / BROCHURE



# Reduce your business printing costs and environmental impact, while increasing productivity with less intervention, and solutions to support your business.

A small workgroup printer perfect for the business environment, from small offices to large corporates. Ideal for those who may have traditionally used lasers and want to cut costs, increase productivity and reduce downtime, while also reducing their environmental impact and improving their CSR reputation.

## Save money

The low TCO and fewer required replacement part make this an attractive choice for businesses on a budget. Designed for workgroups, your business can avoid the hidden employee productivity costs associated with centralised printing. Further lower costs by changing consumables less with its innovative ink supply system.

## High productivity and low intervention

Delivering a fast First Page Out Time (FPOT) of 5.3 seconds in colour and 4.8 seconds in mono from ready mode. Print up to 10,000 pages in monochrome and 5,000 in colour without changing supplies<sup>1</sup>. In addition, the WF-C5890DWF can print on a wide range of media, including recycled paper, glossy media, envelopes and labels.

## Reduce your impact

Improve your businesses sustainability, while keeping productivity high and energy costs low. Benefit from low-power consumption without compromising on an ultra-sharp output.

## Built for business

A range of software and tools provide secure print options, and help manage devices remotely. Wireless connectivity also supports printing from mobile devices. And with its brand new, user-friendly GUI, it's intuitive to operate.

## **KEY FEATURES**

- Sustainable Low power consumption and fewer supplies
- Save money
- Fewer replacement parts and low TCO
  High productivity, low intervention Reliable printing with high-ink-yield supplies and great paper capacity
- Built for business DuraBrite Ultra pigment inks



## PRODUCT SPECIFICATIONS

Fax Functions

TECHNOLOGY			
Printing Method	PrecisionCore <sup>™</sup> Print Head		
Nozzle Configuration	800 Nozzles Black, 800 Nozzles per Color		
Minimum Droplet Size	3.8 pl, With Variable-Sized Droplet Technology		
Ink Technology	DURABrite™ Ultra		
Category	Office Workgroup		
All-in-One Functions	Print, Scan, Copy, Fax		
PRINT			
Number of colours	4 colour		
First Page Out	Monochrome 4.8 Seconds, Colour 5.3 Seconds		
Printing Speed ISO/IEC 247	34 25 pages/min Monochrome, 25 pages/min Colour		
Duplex Printing Speed	16 A4 Pages/min Monochrome, 16 A4 Pages/min Colour		
ISO/IEC 24734			
Maximum Printing Speed	34 pages/min Monochrome (plain paper 75 g/m²), 34 pages/min Colour (plain paper 75 g/m²)		
Printing Resolution	4,800 x 1,200 DPI		
Printing Volume	75,000 pages per month		
	The maximum number of printed pages per month based on the performance capabilities of		
	the printer, including ISO rated print speeds and paper handling capabilities.		
Recommended Duty Cycle	250 - 5,000 pages per month		
For detailed information on	printing speeds please visit http://www.epson.eu/testing.		
SCAN			
Scanning Speed	24 ipm (Monochrome, Single-sided, 200 dpi, ADF); 24 ipm (Colour, Single-sided, 200 dpi,		
	ADF ); 7.5 ipm (Monochrome, Double-sided, 200 dpi, ADF ); 7.5 ipm (Colour, Double-sided,		
	200 dpi, ADF ); 5 sec/page ( Monochrome, 200 dpi, Flatbed ); sec/page, dpi;		
Optical Resolution	1,200 DPI x 2,400 DPI (Horizontal x Vertical)		
Optical Resolution (ADF)	1,200 DPI (Horizontal x Vertical)		
Advanced document	Scan to Email, Scan to FTP, Scan to Network folders, Computer (Epson Document Capture		
integration	Pro), USB Memory Device / Card		
Output formats	JPEG, TIFF, PDF		
Scanner type	Contact image sensor (CIS)		
FAX			
Type of fax	Walk-up black and white and colour fax capability		
Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page		
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode		
Fax speed dials (max)	200 names and numbers		
Page memory	Up to 550 pages/ 6MB (ITU-T No. 1 chart)		
Fau Funationa	DO Four Founda Francis Founda Folder Address Book Dalay Sand Breadaast Fou		

PC Fax, Fax to E-mail, Fax to Folder, Address Book, Delay Send, Broadcast Fax

### WorkForce Pro WF-C5890DWF

## WHAT'S IN THE BOX

- Individual Ink Cartridges
- Power cable
- Driver and utilities (CD)
- Setup guide
- User manual (CD)



## PRODUCT SPECIFICATIONS

WorkForce Pro WF-C5890DWF

COPY		
Copy Speed	Up to 22 ipm Black, Up to 22 ipm Colour	
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)	
Copy resolution (dpi)	600 x 1200	
Reduction / Enlargement	25 % - 400 %	
Maximum number of copies	999	
CONNECTIVITY		
Network Printing Protocols	LPR, FTP, IPP, LDP, Port 9100, WSD, Net BIOS over TCP/IP, WSD-Print, Bonjour/Airprint	
letwork Management HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, SLP, WSD, LLTD, SMTP, P		
Protocols	802.1X, ARP, GARP, ICMP, IGMP, DCHP, HTTPS, XMPP, LDAP, LDAPS, SNMP 1.0, SNMP	
	2.0c, SNMP 3.0, SNMP Trap	
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP	
Interfaces	Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Hi-Speed USB - compatible with USB 2.0	
	specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), USB 2.0-A (2x)	
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 PSK (AES), WPA3-SAE(AES)	
Network Protocol	TCP/IPv4, TCP/IPv6, TCP, HTTP, IPv4, IPv6, IPSEC, SSL/TLS	
PAPER / MEDIA HANDLING		
Paper Formats	C4 (Envelope), Legal, A6 (10.5x14.8 cm), B5, A5 (14.8x21.0 cm), Letter, 9 x 13 cm, 10 x 15 cm,	
	13 x 18 cm, A4 (21.0x29.7 cm), B6, No. 10 (Envelope), User defined, C6 (Envelope), DL	
	(Envelope)	
Automatic Document Feed	50 pages	
Compatible Paper Weight	64 - 256g/m <sup>2</sup>	
Duplex	Yes	
Standard Paper input	250 Sheets Standard, 80 Sheets MP tray	
Output Tray Capacity	150 Sheets	
Paper Tray Capacity	330 Sheets Standard, 1,830 Sheets Maximum	
Standard paper tray(s)	80-Sheet Multi-Purpose Tray, 250-sheet paper tray	
Optional paper tray(s)	3 x 500 sheet paper tray	
Maximum paper input	1,830	
Rear paper path (special	Yes	
media)		
Number of paper trays	4	
PAPER FEED RASF		
Paper Input Name	RASF	
Paper Formats	A4, A5, A6, C4 (Envelope), DL (Envelope), Letter, Postcard, User defined, Legal	
Custom sizes	Min 64x 125 mm to Max 215.9x 6,000 mm	
Compatible paper weight	64 g/m² - 256 g/m²	
Paper Capacity 1	80 Sheets of Plain Paper, Postcards, Glossy paper, Envelopes, Labels, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper	
PAPER FEED C1		
Paper Input Name	C1	
Paper Formats	A4, A5, A6, Letter	
•		
Custom sizes	Min 85x 125 mm to Max 215.9x 355.6 mm	
Compatible paper weight	64 g/m² - 160 g/m²	



## PRODUCT SPECIFICATIONS

WorkForce ProWF-C5890DWF

PAPER FEED C2		
Paper Input Name	C2	
Paper Formats	A4, A5, A6, Letter	
Custom sizes	Min 100x 148 mm to Max 215.9x 355.6 mm	
Compatible paper weight	64 g/m² - 160 g/m²	
Paper Capacity 1	500 Sheets of Plain Paper, 80gsm	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead	
PAPER FEED DUPLEX		
Paper Input Name	Duplex	
Paper Formats	A4, A5, A6, B5, B6, Letter, HLT, Legal, Executive	
Custom sizes	Min 148x 210 mm to Max 216x 297 mm	
Compatible paper weight	64 g/m² - 160 g/m²	
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead	
GENERAL		
Energy Use	27 Watt (standalone copying, ISO/IEC 24712 pattern), 1.2 Watt (sleep mode), 11.7 Watt	
	(Ready), 0.2 Watt (Power off), TEC 0.18 kWh/week	
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz	
Product dimensions	425 x 535 x 357 mm (Width x Depth x Height)	
Product weight	18.7 kg	
Compatible Operating	Citrix XenApp 7.6 and above, Citrix XenDesktop Version 7.6, Linux, Mac OS 10.10.x, Mac OS	
Systems	10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS X, Mac OS X 10.11.x, Mac OS X 10.12, Mac OS	
	X 10.12.x, Mac OS X 10.6.8, SAP, Windows 10, Windows 11, Windows 7, Windows 7 x64,	
	Windows 8, Windows 8 (32/64 bit), Windows 8.1, Windows Server 2003 R2 x64, Windows	
	Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows	
	Server 2012 R2, Windows Server 2016, Windows Vista, Windows Vista (32/64 bit), Windows	
	Vista x64, Windows XP SP2 or higher, Windows XP SP3, Windows XP x64, Windows Server	
	2003 R2, XP Professional x64 Edition, XP Professional x64 Edition SP2, macOS 11 or later	
Included Coffmens		
Included Software Sound Power	Epson Document Capture Pro (Windows only)	
	Operation: 6.4 B (A)	
Noise	Operation: 52 dB (A)	
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,	
services	Google Cloud Print	
Power supply	220V, 240V	
ADDITIONAL FEATURES		
Memory	3,072 MB	
Features	Touchscreen, Direct Print, Direct print from USB	
Panel	Type: Color, Touchscreen, Diagonal: 10.9 cm	
Media Handling	ADF 2-sided copy (A4, plain paper), Automatic duplex (A4, plain paper), Portrait & Landscape	
0		
	printing, Thick Media Support	
Security Functions	printing, Thick Media Support Limit access function with Epson Web Config. Secure confidential printing with PIN code	
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code	
Security Functions		
	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin	
OTHER FEATURES	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode	
OTHER FEATURES Emulations	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7	
OTHER FEATURES	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode	
OTHER FEATURES Emulations	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7	
OTHER FEATURES Emulations Security	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode PCL5c, PCL6, PostScript 3, ESC/P-R, PDF 1.7	



## SUPPLIES

- WF-C53xx / WF-C58xx Series Ink Cartridge L Black
- WF-C53xx / WF-C58xx Series Ink Cartridge L Cyan
- WF-C53xx / WF-C58xx Series Ink Cartridge L Magenta
- WF-C53xx / WF-C58xx Series Ink Cartridge L Yellow
- WF-C53xx / WF-C58xx Series Ink Cartridge XL Black
- WF-C53xx / WF-C58xx Series Ink Cartridge XL Cyan
- WF-C53xx / WF-C58xx Series Ink Cartridge XL Magenta
- WF-C53xx / WF-C58xx Series Ink Cartridge XL Yellow
- WF-C53xx / WF-C58xx Series Ink Cartridge XXL Black

#### **OPTIONAL ACCESSORIES**

- 500-Sheet Paper Cassette Unit for 58xx/53xx C12C937901
- 58xx/53xx Series Maintenance Box C12C938211
- Paper Feed Roller for Cassette A (58XX/53XXSeries) C12C938261
- Paper Feed Roller for Cassette B (58XX/53XXSeries) C12C938281

### LOGISTICS INFORMATION

Country of Origin	Indonesia 2 Units
EAN code	8715946703503
ѕки	C11CK23401

WorkForce Pro WF-C5890DWF

#### INK YIELD DATA

C13T11C140 3,000 pages

C13T11C240 3,000 pages

C13T11C340 3,000 pages

C13T11C440 3,000 pages


C13T11D140 5,000 pages

C13T11D240 5,000 pages

C13T11D340 5,000 pages

C13T11D440 5,000 pages

C13T11E140 10,000 pages



\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield

\* Warranty offers are not available for all countries. Please contact your local Epson representative.

For further information please contact your local Epson office or visit www.epson-europe.com

Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

(Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742

Italy 02-660321 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway +47 67 11 37 00

Poland 0-0-800 4911299 (0,16 zł/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711) 465-9621

400-9021 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal – 0,99 kr/min, Lokala samtal – 0,30 kr/min, Utlandssamtal – 0,89 kr/min) Switzerland 022 592 7923

Turkey (0212) 3360303 United Kingdom 0871 222 6702

1. Approximate page yield. Actual yield will vary depending on images printed and usage conditions.

**EPSON**<sup>®</sup>

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.